

ASA Non-Approved Bat List with Certification Marks

1/7/2011

| | | |
|---|--|--|
| <p>Combat VIRSP3 Lady Virus </p> <p>Louisville Slugger FPC305 Catalyst (-8) </p> <p>Louisville Slugger SB404 </p> <p>Miken Ultra </p> <p>Nokona Tomahawk </p> <p>Worth QESTFP </p> <p>Worth WWSC Wicked Comp. (SP Only) </p> <p>Worth XGold </p> <p>Worth XWICKX Wicked (SP Only) </p> | <p>Easton SCX2 Synergy </p> <p>Louisville Slugger SB304 </p> <p>Louisville Slugger SB73V TPS Voltage </p> <p>Miken Ultra II New </p> <p>Schutt Red/Silver Schutt Bat </p> <p>Worth SBWK(Wicked) </p> <p>Worth WWSCA </p> <p>Worth XPST4 </p> | <p>Easton SCX22 Synergy 2 </p> <p>Louisville Slugger SB34 Genesis </p> <p>Miken MSF Freak </p> <p>Miken Ultra Maxload </p> <p>Worth EST9 </p> <p>Worth SBWKA </p> <p>Worth XEST9X </p> <p>Worth XRed </p> |
|---|--|--|

For a complete list of approved bats go to the certified equipment section of www.asasoftball.com
Last Updated: January 5, 2011